

mmrecov zeigt die wiederhergestellten Dateinamen nicht an

Der nachfolgend aufgeführte Effekt zeigte sich bei mir bislang nur einmal, in einem meiner Workshops. Zuerst dachte ich an eine neue, nicht dokumentierte Eigenschaft (ich hasse undokumentierte Änderungen), doch dann stellte ich fest, daß diese Erscheinung nur einmal aufgetreten ist. Da ich allerdings ihre Ursache nicht kenne, möchte ich den Effekt kurz beschreiben, weil er auch in Ihrer Umgebung auftreten kann.

Führen Sie ein *Disaster Recovery* eines NetWorker Servers mit `mmrecov` durch, sehen Sie nicht die Namen der wiederhergestellten Dateien durchlaufen, wie es bislang bei allen früheren Versionen der Fall war. Der Grundgedanke ist gar nicht einmal schlecht, denn bei größeren Installation sagt Ihnen lange Liste der Resource-Dateien sowieso nichts. Leider zeigte in diesem Fall auch die Wiederholung mit dem Option `mmrecov -v` keine weiteren Details. Hier das Beispiel:

```
D:\>mmrecov
mmrecov: Diagnostic: Reverse DNS lookup failed for address 0.0.0.0
mmrecov: Diagnostic: Reverse DNS lookup failed for address 0.0.0.0
mmrecov: Using de-creinfeld.corp.emc.com as server
```

```
NOTICE: mmrecov is used to recover the NetWorker server's media index and
resource files from media (backup tapes or disks) when any of this
critical NetWorker data has been lost or damaged. Note that this
command will OVERWRITE the server's existing media index. mmrecov is not
used to recover NetWorker clients' on-line indexes; normal recover
procedures may be used for this purpose. See the Legato NetWorker
Disaster Recovery Guide for more details.
```

```
Enter the latest bootstrap save set id: 4094984746
Enter starting file number (if known) [0]: <return>
Enter starting record number (if known) [0]: <return>
```

```
Please insert the volume on which save set id 4094984746 started
into Z:\BU_DEV5. When you have done this, press <RETURN>: <return>
```

```
Scanning Z:\BU_DEV5 for save set 4094984746; this may take a while...
Z:\BU_DEV5: Mount operation in progress
Z:\BU_DEV5: mounted file disk de-creinfeld.corp.emc.com.003 (write //
protected)
```

```
If your resource files were lost, they are now recovered in the 'res.R'
directory. Copy or move them to the 'res' directory, after you have shut
down the service. Then restart the service.
```

```
Otherwise, just restart the service.
```

```
If the on-line index for de-creinfeld.corp.emc.com was lost, it can be //
recovered using the nsrck command.
```

```
D:\>
```

